**JETO**UR T2 2.0T TRAVOL

**JETO**UR T2 2.0T TRAVOL PRO

**JETO**UR T2 2.0T TRAVOL PRO+ **JETO**UR T2 2.0T conquer

**JETO**UR T2 2.0T conquer +

## **Basic Information**

<u>Manufacturer</u>	Chery Automobile	Chery Automobile	Chery Automobile	Chery Automobile	Chery Automobile
<u>level</u>	Compact SUV	Compact SUV	Compact SUV	Compact SUV	Compact SUV
Energy type	gasoline	gasoline	gasoline	gasoline	gasoline
time to market	2023.09	2023.09	2023.09	2023.10	2023.09
<u>engine</u>	2.0T 254 horsepower L4	2.0T 254 horsepower L4			
Maximum_power(kW)	187(254Ps)	187(254Ps)	187(254Ps)	187(254Ps)	187(254Ps)
Maximum torque (N·m)	390	390	390	390	390
g <u>earbox</u>	7 speed dual clutch	7 speed dual clutch	7 speed dual clutch	8-speed manual transmission	8-speed manual transmission
<u>Length x width x height</u> (mm)	4785x2006x1880	4785x2006x1880	4785x2006x1880	4785x2006x1880	4785x2006x1880
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	180	180	180	180	180
Official acceleration time to 100 kilometers (s)	-	-	-	-	-

WLTC comprehensive fuel consumption (L/100km)	8.83	8.83	8.83 add to deskto	p 9.58	9 58 publish works
Vehicle warranty period	4 years or 100,000 kilometers	4 years or 100,000 kilometers	4 years or 100,000 kilometers	4 years or 100,000 kilometers	4 years or 100,000 kilometers
First owner warranty period	Lifetime warranty for the entire vehicle (the liability exemption clause shall be subject to the official)	Lifetime warranty for the entire vehicle (the liability exemption clause shall be subject to the official)	Lifetime warranty for the entire vehicle (the liability exemption clause shall be subject to the official)	Lifetime warranty for the entire vehicle (the liability exemption clause shall be subject to the official)	Lifetime warranty for the entire vehicle (the liability exemption clause shall be subject to the official)
Body					
Length(mm)	4785	4785	4785	4785	4785
Width(mm)	2006	2006	2006	2006	2006
<u>Height(mm)</u>	1880	1880	1880	1880	1880
Wheelbase(mm)	2800	2800	2800	2800	2800
Front wheelbase (mm)	1685	1685	1685	1685	1685
Rear wheelbase (mm)	1695	1695	1695	1695	1695
Body structure	SUV	SUV	SUV	SUV	SUV
Number of doors (number)	5	5	5	5	5
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of seats (seats)	5	5	5	5	5
<u>Curb weight (kg)</u>	1843	1869	1869	1927	1927
Full load mass (kg)	2450	2450	2450	2450	2450
<u>Fuel tank volume (L)</u>	70.0	70.0	70.0	70.0	70.0
<u>Luggage compartment</u> <u>volume (L)</u>	-	-	-	-	-
engine					
engine model	SQRF4J20	SQRF4J20	SQRF4J20	SQRF4J20	SQRF4J20

Displacement (mL)

Displacement(L)	2.0	2.0	2.0 • add to deskto	2.0	2.0 <b>6</b> publish works
Intake form	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging
Engine layout form	horizontal	horizontal	horizontal	horizontal	horizontal
Cylinder arrangement	L	L	L	L	L
Number of cylinders (number)	4	4	4	4	4
Number of valves per cylinder (number)	4	4	4	4	4
Compression ratio	10.2	10.2	10.2	10.2	10.2
<u>Air Supply</u>	DOHC	DOHC	DOHC	DOHC	DOHC
Maximum horsepower (Ps)	254	254	254	254	254
Maximum power(kW)	187	187	187	187	187
Maximum power speed (rpm)	5500	5500	5500	5500	5500
Maximum torque (N·m)	390	390	390	390	390
Maximum torque speed (rpm)	1750-4000	1750-4000	1750-4000	1750-4000	1750-4000
Engine specific technology	-	-	-	-	-
fuel form	gasoline	gasoline	gasoline	gasoline	gasoline
<u>fuel grade</u>	92#	92#	92#	92#	92#
Fuel supply method	Direct injection in cylinder				
Cylinder head material	aluminum	aluminum	aluminum	aluminum	aluminum
<u>Cylinder material</u>	aluminum	aluminum	aluminum	aluminum	aluminum
Environmental protection standards	Country VI				

Gearbox description	7 speed dual clutch	7 speed dual clutch	7 speed dual clutch add to desktor	8-speed manual transmission	8-sp <b>e</b> ed manual ମ <del>ଧ୍ୟଧ୍ୟାଧ</del> ୍ୟକ୍ରୀ
Number of gears	7	7	7	8	8
Gearbox type	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Automatic manual transmission (AT)	Automatic manual transmission (AT)
Chassis/steering					
Drive mode	Front four-wheel drive				
Four wheel drive type	timely four-wheel drive				
Center differential structure	Multi-plate clutch center differential				
front suspension form	MacPherson independent suspension				
Rear suspension form	Multi-link independent suspension				
steering type	electric assist				
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
wheels/brakes					
Front brake type	ventilated disc				
<u>rear brake type</u>	solid disc				
Parking brake type	Electronic parking				
Front tire size	255/60 R19				
Rear tire size	255/60 R19				
	• Full Size 2500 yuan	• Full Size 2500 yuan	• Full Size 2500 yuan	• Full Size	• Full Size
<u>Spare tire specifications</u>	• Not full size	• Not full size	Not full size	-	-
Spare tire placement	• Backpack				
active safety • Standard	configuration • Optional -	none			
ABS anti-lock	Standard configuration				

Braking force distribution (EBD/CBC, etc.)	Standard configuration	Standard configuration	Standard configuration     desktop	Standard configuration	• Standard configuration publish works
Brake assist (EBA/BA, etc.)	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Traction control (TCS/ASR, etc.)	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Body stability system (ESP/DSC, etc.)	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
	-	Lane Departure Warning	Lane Departure • Warning	Lane Departure Warning	Lane Departure Warning
Active safety warning	-	forward collision warning	forward collision warning	forward collision warning	forward collision warning
<u>system</u>	-	• rear collision warning	• rear collision warning	• rear collision warning	• rear collision warning
	-	Reverse side warning	Reverse side warning	Reverse side warning	Reverse side warning
	-	• DOW opening warning	• DOW opening warning	• DOW opening warning	• DOW opening warning
Active braking	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Parallel assistance	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Lane Keeping Assist System	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Lane centering	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Fatigue driving tips	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Active DMS fatigue testing	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
In-car vital signs detection	-	-	Standard configuration	-	Standard configuration
Road traffic sign recognition	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Traffic light identification	-	-	-	-	-
night vision system	-	-	-	-	-

passive safety • Standard configuration • Optional - none

<u>front airbag</u>	Driver's seat	Driver's seat	• Driver's seat add to desktop	Driver's seat	Dreer's seat     publish works
	Passenger seat	Passenger seat	Passenger seat	Passenger seat	Passenger seat
side airbag	• front row	• front row	• front row	• front row	• front row
side curtain airbags	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Front knee airbag	-	-	-	-	-
center airbag	-	-	-	-	-
Seat belt not fastened reminder	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
tire pressure monitoring system	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
<u>Child seat interface</u> (ISOFIX)	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
passive pedestrian protection	-	-	-	-	-
safety tires	-	-	-	-	-
Auxiliary/control configura	ation • Standard configuratio	on Optional - none			
	_	• forward	• forward	• forward	• forward
parking radar	• back	• back	• back	• back	• back
Warning when the vehicle ahead is leaving	-	-	-	-	-
	Reverse image	Reverse image	Reverse image	Reverse image	Reverse image
Driving assistance images	• Car side blind spot images	Car side blind spot images	• Car side blind spot images	Car side blind spot images	Car side blind spot images
	• 360°panoramic image	• 360°panoramic image	• 360°panoramic image	• 360°panoramic image	• 360°panoramic imag
	transparent image	transparent image	transparent image	transparent image	transparent image
	cruise	cruise control	cruise control	cruise control	cruise control
	control				

	-	• cruise	Full speed adaptive • cruise add to desktop	Full speed adaptive cruise	Fu <b>f</b> espeed adaptive publishiseorks
Automatic lane change assist	-	-	-	-	-
Automatic ramp exit (entry)	-	-	-	-	-
Assisted driving level	-	• L2 level	• L2 level	• L2 level	• L2 level
Automatic parking	-	-	Standard configuration	-	Standard configuration
Follow the trail and reverse	-	-	-	-	-
memory parking	-	-	-	-	-
Automatic parking (AUTOHOLD)	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Hill Ascent Assist (HAC)	Standard	Standard	• Standard • configuration	• Standard	Standard
Hill Descent (HDC)	Standard	Standard	Standard	• Standard • configuration	Standard
Engine start-stop technology	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Variable suspension adjustment	-	-	-	-	-
air suspension	-	-	-	-	-
Electromagnetic induction suspension	-	-	-	-	-
variable steering ratio system	-	-	-	-	-
Front axle limited slip mode	-	-	-	-	-
Rear axle limited slip mode	Limited slip differential  + differential lock	Limited slip differential  + differential lock	Limited slip differential + differential lock	Limited slip differential + differential lock	Limited slip differential + differential lock

<u>Center differential locking</u> <u>function</u>	Standard configuration	Standard configuration	Standard configuration and to desktop	• Standard configuration	• Standard configuration publish works
low speed four wheel drive	-	-	-	-	-
Integral active steering system	-	-	-	-	-
creep mode	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
	• sports	• sports	• sports	• sports	• sports
	• off-road	• off-road	• off-road	• off-road	• off-road
Driving mode selection	• Snow	• Snow	• Snow	• Snow	• Snow
	• ECO/Economy	• ECO/Economy	• ECO/Economy	• ECO/Economy	• ECO/Economy
	Standard comfort	Standard comfort	Standard comfort	Standard comfort	Standard comfort
Wading sensing system	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
External configuration •	Standard configuration • Op	tional – none			
<u>Skylight type</u>	-	Panoramic sunroof can be opened	Panoramic sunroof can be opened	Panoramic sunroof can be opened	Panoramic sunroof can be opened
Light-sensing awning	-	-	-	-	-
roof rack	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
<u>Sport appearance</u> <u>package</u>	-	-	-	-	-
Electric spoiler	-	-	_	-	-
Active closing air intake grille	-	-	-	-	-
Aluminum alloy wheels	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
<u>car side pedals</u>	• fixed	• fixed	• fixed	• fixed	• fixed
Frameless design door	-	-	-	-	-
<u>Hidden door handle</u>	-	-	-	-	-

			add to deskto		publish works
Steering wheel material	• cortex				
steering wheel adjustment	Up and down + front and back				
Electric steering wheel adjustment	-	_	-	-	-
adjustificiti					
	Multifunctional control				
Steering wheel functions	• shift gears				
	-	-	• heating	-	• heating
<u>Driving computer screen</u>	• color				
LCD instrument style	• Full LCD				
LCD meter size (inches)	• 10.25	• 10.25	• 10.25	• 10.25	• 10.25
Comfort/anti-theft configu	uration • Standard configurati	ion ∘ Optional – none			
Electric suction door	-	-	-	-	-
Electric tailgate	-	-	-	-	-
Sensing rear tailgate	-	-	-	-	-
Electric rear tailgate position memory	-	-	-	-	-
Engine electronic anti- theft	Standard configuration				
Central locking in car	Standard configuration				
	Smart remote key				
Remote key type	mobile phone bluetooth key				
<u>keyless entry</u>	Driver's seat				
	Standard	Standard	Standard  • a Illustration	Standard	Standard

remote start	Standard configuration	Standard configuration	• Standard configuratish add to deskto	Standard configuration	Standard configuration     publish works
remote control mobile vehicle	-	-	-	-	-
Vehicle summoning function	-	-	_	-	-
<u>Heads-up Display System</u> ( <u>HUD)</u>	-	-	-	-	-
Built-in driving recorder	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Active noise reduction	-	-	-	-	-
Mobile phone wireless charging	-	Standard	Standard	Standard	Standard
Maximum power of mobile phone wireless charging (W)	-	50	50	50	50
110V/220V/230V power socket	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Luggage compartment 12V power interface	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Seat configuration • Star	ndard configuration • Option	al - none			
	• imitation leather	• imitation leather	• imitation leather	• imitation leather	• imitation leather
seat material	Leather and fabric mix	<ul> <li>Leather and fabric mix</li> </ul>	-	· Leather and fabric mix	-
	-	-	· Leather/suede	-	· Leather/suede
Sports style seats	-	-	-	-	-
Seat layout	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
Second row independent seats	-	-	-	-	-
third row seats	-	-	-	-	-
Control or discountry	-	• Driver's seat	• Driver's seat	• Driver's seat	• Driver's seat
Seat electric adjustment	-	-	Passenger seat	-	Passenger seat

Overall adjustment of	Move forward and backward	• Move forward and backward	• Move forward and • backward add to desktop	• Move forward and backward	M <b>&amp;</b> e forward and publishkwakগ্র
<u>driver's seat</u>	Backrest angle	Backrest angle	Backrest angle	Backrest angle	Backrest angle
	Height adjustment	Height adjustment	Height adjustment	Height adjustment	Height adjustment
<u>Driver's seat partial</u>	• headrest	• headrest	• headrest	• headrest	• headrest
<u>adjustment</u>	-	_	• waist	-	• waist
Overall adjustment of	Move forward and backward	Move forward and backward	Move forward and backward	Move forward and backward	Move forward and backward
<u>passenger seat</u>	Backrest angle	Backrest angle	Backrest angle	Backrest angle	Backrest angle
Passenger seat partial	• headrest	• headrest	• headrest	• headrest	• headrest
<u>adjustment</u>	-	_	• Leg rest	-	• Leg rest
Second row seat overall adjustment	Backrest angle adjustment	Backrest angle adjustment	Backrest angle adjustment	Backrest angle adjustment	Backrest angle adjustment
Partial adjustment of second row seats	-	-	-	-	-
	-	• heating 1200 yuan	• heating	• heating	• heating
Front cost functions	Move forward and backward back	Ventilation (main driver)	• ventilation	Ventilation (main driver)	<ul> <li>ventilation</li> </ul>
Front seat functions	-	Memory (main driver)	• memory	Memory (main driver)	• memory
	-	-	_	Massage (main driver)	Massage (main driver)
Second row seat functions	-	-	-	-	-
Third row seat functions	-	-	-	-	-
Boss button	-	-	-	-	-
Franklinger auszeit	• front row	• front row	• front row	• front row	• front row
Front/rear armrests	• back row	• back row	• back row	• back row	• back row
Rear cup holder	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Heated/cooled cup holder	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration

Rear seat folding ratio	• 40:60	• 40:60	• 40:60 <b>●</b> add to desktop	• 40:60	• 40.60 publish works
Electrically reclining rear seats	-	-	-	-	-
Second row small table	-	-	-	-	-
Intelligent Internet • Sta	ndard configuration • Optiona	al - none			
Central control screen size (inches)	• 15.6	• 15.6	• 15.6	• 15.6	• 15.6
Touch screen vibration feedback	-	-	-	-	-
GPS navigation system	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
AR real-life navigation	-	-	-	-	-
Navigation traffic information display	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
roadside assistance service	Standard	Standard	Standard configuration	• Standard • configuration	Standard
Bluetooth/car phone	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Mobile Internet Mapping	-	-	-	-	-
Internet of Vehicles	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
4G/5G network	• 4G	• 4G	• 4G	• 4G	• 4G
OTA upgrade	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
face recognition	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Fingerprint recognition	-	-	-	-	-
Voiceprint recognition	-	-	-	-	-
emotion recognition	-	-	-	-	-
Voice recognition control system	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Voice wake-up-free function	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration

Voice area wake-up recognition function	main driver	main driver	• main driver • add to desktop	main driver	man driver  publish works
	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot
	• second row	• second row	• second row	• second row	• second row
continuous speech recognition	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
It can be said that it is visible	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Voice assistant wake word	Hello Xiaojie	Hello Xiaojie	Hello Xiaojie	Hello Xiaojie	Hello Xiaojie
Gesture control function	-	-	-	-	-
Wi-Fi hotspot	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Media entertainment • S	Standard configuration • Opt	ional - none			
Multi-finger flying screen control	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
app Store	-	-	-	-	-
multimedia interface	• USB/Type-C	• USB/Type-C	• USB/Type-C	• USB/Type-C	• USB/Type-C
Number of USB/Type-C	• 4 in the front row	• 4 in the front row	• 4 in the front row	• 4 in the front row	• 4 in the front row
interfaces	• 2 in the back row	• 2 in the back row	• 2 in the back row	• 2 in the back row	• 2 in the back row
USB/Type-C maximum	Front row 60W	Front row 60W	Front row 60W	Front row 60W	Front row 60W
charging power	60W in the rear	60W in the rear	60W in the rear	60W in the rear	60W in the rear
<u>car tv</u>	-	-	-	-	-
rear LCD screen	-	-	-	-	-
simulated sound	-	-	-	-	-
Karaoke function	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
audio brand	-	_	• sony	-	• sony
Number of speakers (pieces)	• 6	• 8	• 12	• 8	• 12

<b>Lighting configuration</b> • Standard configuration • Optional - none		<b>⊕</b> add to desktop		publish works	
Low beam lights	• led	• led	• led	• led	• led
<u>High beam</u>	• led	• led	• led	• led	• led
daytime running lights	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Adaptive high and low beam	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
automatic headlights	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Turn assist light	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Front fog lights	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
<u>Headlight adaptive</u> <u>steering (AFS)</u>	-	-	-	-	-
Headlight height adjustment	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Headlight cleaning function	-	-	-	-	-
Car interior ambient light	-	• multicolor	• multicolor	• multicolor	• multicolor
Active ambient lighting	-	-	-	-	-
<u>Lighting features</u>	-	-	-	-	-
<u>Delayed turn off of</u> <u>headlights</u>	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Headlight rain and fog mode	-	-	-	-	-
glass/rear view mirror •	Standard configuration • Op	tional - none			
electric windows	• front row	• front row	• front row	• front row	• front row
	• back row	• back row	• back row	• back row	• back row
One-click lifting and lowering of windows	• whole car	• whole car	• whole car	• whole car	• whole car
Window anti-pinch function	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration

	• adjustment	• adjustment	Electric  adjustment  add to desktop	• adjustment	El <b>e</b> tric publiej 小安和格nt
	• heating	• heating	• heating	• heating	• heating
Exterior rearview mirror	Electric folding	Electric folding	Electric folding	Electric folding	Electric folding
function	-	• memory	• memory	• memory	• memory
	-	-	Automatic downturn when reversing	-	Automatic downturn when reversing
	-	Automatic folding when locking the car			
Interior rearview mirror function	-	-	Automatic anti-dazzle	-	Automatic anti-dazzle
<u>Car vanity mirror</u>	Main driving position + no lighting	Main driving position + lighting	Main driving position + lighting	Main driving position + lighting	Main driving position +
	Passenger seat + no lighting	Passenger seat + illuminated	Passenger seat + illuminated	Passenger seat + illuminated	Passenger seat + illuminated
Rear privacy glass	-	-	Standard configuration	-	Standard configuration
<u>car sunshade</u>	-	-	-	-	-
Rain sensing wipers	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
<u>rear wiper</u>	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
rear window open	-	-	-	-	-
Multilayer soundproof glass	• front row	• front row	• front row	• front row	• front row
Electric heating for front windshield	-	-	-	-	-
Heated water nozzle	-	-	-	-	-
Air conditioner/refrigerate	• Standard configuration	· Optional - none			
Air conditioning control method	• automatic	• automatic	• automatic	• automatic	• automatic
Independent air conditioning in the rear	-	-	-	-	-

Rear air outlet	Standard configuration	Standard configuration	Standard configurati     add to desktop	Standard configuration	Standard configuration     publish works
Temperature zone control	• Dual zone air conditioning	Dual zone air conditioning	• Dual zone air • conditioning	• Dual zone air conditioning	Dual zone air conditioning
Car air purifier	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
In-car PM2.5 filter device	Standard configuration	Standard configuration	Standard configuration	Standard configuration	Standard configuration
HEPA filter	-	-	-	-	-
negative ion generator	-	Standard configuration	Standard configuration	Standard configuration	Standard configuration
Car fragrance device	-	-	Standard	-	Standard
<u>car refrigerator</u>	-	_	_	-	-

## Intelligent configuration

Vehicle smart chip	Qualcomm Snapdragon 8155				
	• digital key				
Mobile App remote	vehicle monitoring				
control	• remote control	remote control	• remote control	• remote control	• remote control
	Service appointment				
heat pump management system	-	-	-	-	-
Number of cameras outside the car (number)	• 4	• 6	• 6	• 6	• 6
Car exterior camera pixels	-	-	-	-	-
Number of cameras in the	• 1	• 1	-	• 1	-
car (number)	-	-	• 2	-	• 2
Car camera pixels	-	-	-	-	-
Number of ultrasonic radars (units)	• 4	• 8	• 12	• 8	• 12

Millimeter wave radar quantity (units)	-	• 3	• 3 add to deskto	. 3	publish works	
Submeter-level high- precision positioning system	-	_	-	-	-	
<u>High-precision map</u>	-	-	-	-	-	
Sentinel (clairvoyance) mode	-	-	-	-	-	
V2X communication	-	-	-	-	-	
Optional package • Standard configuration • Optional - none						
Customized options	Optional exterior, interior, wheels, brakes	Two optional packages are available: exterior, interior, wheels, and brakes.	Optional exterior, interior, wheels and brakes 1 optional package	Three optional packages are available: exterior, interior, wheels, and brakes.	Two optional packages are available: exterior, interior, wheels, and brakes.	
Comfort heating pack		Heated driver's seat + heated and ventilated passenger seat		Heated driver's seat + heated and ventilated passenger seat		
	-	• Optional 1200 yuan	-	• Optional 1200 yuan	-	
tire package 1	255/55R20 HT tire + full- size spare tire, no small bag spare tire cover	255/55R20 HT tire + full- size spare tire, no small bag spare tire cover	255/55R20 HT tire + full- size spare tire, no small bag spare tire cover			
	• Optional 2500 yuan	optional 2500 yuan	Optional 2500 yuan	-	-	
				255/55R20 HT tires	255/55R20 HT tires	
tire package 2	-	-	-	· Optional 2000 dollars	Optional 2000 dollars	
Tire bag 3				255/60R19 AT tires	255/60R19 AT tires	
	-	-	-	· Optional 2000 dollars	Optional 2000 dollars	
tire package 4			255/60R19 HT tires, discount of 2,000 yuan			
	-	-	· Optional No price yet	-	-	

<sup>\*</sup>The above parameter configuration information is for reference only, please refer to the actual vehicle for details. View parameter configuration details >